

LIST OF REPORT TO THE SPONSORER FROM 1ST JULY TO 2025 TO JULY 2026 (TSP PROJECT)

Sl.No.	Date of Submission to the sponsor	Sending Financial year	Project Financial Year	Project Number	Project Title	Sponsor
1	10.07.2025	2025-26	2025-26	TSP/0337/2025-26	Assessment and advice on the present condition of track and haulage rope of bi-cable aerial ropeway passenger installation at Gangtok, Sikkim.	M/s. Damodar Ropeways & Infra Ltd. 11, Dr. U. N. Brahmachari Street, Constantia Building, 8th Floor, Wing-A, Kolkata
2	10.07.2025	2025-26	2025-26	TSP/0362/2025-26	Assessment and advice on the present condition of four nos. of track ropes and two nos. of haulage ropes (during first visit) and two nos. of haulage ropes (during second visit) of Passenger Cable Car Aerial Ropeway installation of M/s Timber Trail, Asia Resorts Limited, Parwanoo (HP).	Mr. Sumeet Sood Ropeway In-Charge M/s Timber Trail, Asia Resorts Limited, Parwanoo-173220, H.P.
3	10.07.2025	2025-26	2025-26	TSP/0326/2025-26	Assessment and advice on the present condition of haulage ropes of chairlift and two ski-lifts of Garhwal Mandal Vikas Nigam Limited (GMVN), Auli, Joshimath.	General Manager (Projects) Garhwal Mandal Vikas Nigam Limited, (GMVN), Auli, Joshimath.
4	10.07.2025	2025-26	2025-26	TSP/0336/2025-26	Assessment and advice on the present condition of rope of cable car and ropes on flying eagle installed in Dreamland Amusement Park, Siliguri, West Bengal.	M/s Lucky Exports India Pvt. Ltd., 327, Bidhan Road, Near Auto Stand, Siliguri-734001, West Bengal.
5	10.07.2025	2025-26	2025-26	TSP/0329/2025-26	Inspection of factory of M/s Zeepsy Brass Industries, Jamnagar, Gujarat as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	Tala Sonalben Pareashbhai "M/s Zeepsy Brass Industries Khodal Industrial Park, Plot No. 18, Near F.C.I. Godown, Lalpur Road, Dared, Jamnagar Gujarat - 361004"

6	10.07.2025	2025-26	2025-26	TSP/0330/2025-26	Inspection of factory M/s Multidimension Solutions, Andhra Pradesh as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	Chenna Gandhi Vaddi "M/s Multidimension Solutions Flat No. G1, Door No. 24 169 4, Mahalakshami Residency, Shripad Layout, Vepagunta, Visakhapatnam Andhra Pradesh - 530047"
7	10.07.2025	2025-26	2025-26	TSP/0331/2025-26	Inspection of factory M/s Total Plant Engineering and Design Pvt. Ltd., Tamil Nadu as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	Total Plant Engineering and Design Pvt. Ltd. "103, Harveypatti 3rd Street, Thirupparankundram, Madurai Tamil Nadu - 625005"
8	10.07.2025	2025-26	2025-26	TSP/0343/2025-26	Assessment of the electrical safety parameters of Flameproof Valve Changing Machine of Flameproof Electrical Equipment, of M/s K.T. Enterprises, Faridabad - 121002, Haryana for use in hazardous area.	M/s K. T. Enterprises "Block-A, 74, Sai Complex, Wazipur Road, Faridabad haryana - 121002"
9	10.07.2025	2025-26	2025-26	TSP/0345/2025-26	Assessment of the electrical safety parameters of Purge Panel, Type X of Size: 2000(H) X 1200(W) X 800(D), 2000(H) X 2400(W) X 800(D) and 2000(H) X 1400(W) X 800(D) of M/s Electronic Instrumentation and Control Pvt. Ltd., Ahmedabad for use in hazardous area.	Electronic Instrumentation and Control Pvt. Ltd. "56, Panchratna Industrial Estate, Sarkhej - Bavla Road, Changodar, Ahmedabad Gujarat - 382213"
10	26.07.2025	2025-26	2024-25	TSP/0288/2024-25	Assessment and advice on the present condition of haulage rope of mono cable detachable continuous passenger ropeway at Dharamshala, Himachal Pradesh	Dharamshala Ropeway Limited "34, Civil Lines, MMR Snow Pines Dharamshala Himachal Pradesh - 176215"
11	26.07.2025	2025-26	2020-21	TSP/0052/2020-21	Inspection of factory as required for the first time manufacturing of flameproof equipment for use in hazardous area.	M/s. Dowells Cable Accessories Pvt. Ltd. Plot No. 4514, Plastic Zone Area, Road No. 46, GDIC, Sarigam Valsad, Gujarat- 396 155

12	26.07.2025	2025-26	2020-21	TSP/0071/2020-21	Inspection of factory as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	"M/s Oxford Electrohit Plot No. 18/1, G.I.D.C. Estate, Opp. Telephone Exchange, PO- Vithal Udyognagar-388121 Dist- Anand -Gujarat."
13	26.07.2025	2025-26	2021-22	TSP/0089/2021-22	Inspection of factory as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	M/s. Ascentech Lightening Solution, Plot No. 50/A, Jajru Industrial Area, Near bypass Road, Jajru, Ballabgarh, Faridabad, Haryana- 121004
14	26.07.2025	2025-26	2021-22	TSP/0113/2021-22	Inspection of factory as required for the first time manufacturing of flameproof equipment for use in hazardous area.	M/s. JossMin Valves ad Automations Private Limited, House No.2, Survey No.46, Manas Industrial Hus, Bila Pada, Waliv Road, Vasai Road- 401208 Dist- Palgarh, Maharashtra, India

15	26.07.2025	2025-26	2022-23	TSP/0187/2022-23	Inspection of factory as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	M/s. Pitch Flameproof Equipment Pvt. Ltd., Unit- 11& 103, Plot No. K-3, Udyog Bhavan- 02, G-Wing Industrial Park, Addi. MIDC, Anand Naar, Ambernath (East)- 421 506, Thane, Maharashtra
16	26.07.2025	2025-26	2023-24	TSP/0205/2023-24	Inspection of factory M/s. ray Flameproof Pvt. Ltd, New Delhi as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	"M/s. Ray Flameproof Pvt. Ltd. G1- 519, Riico Industrial Area, Bhiwadi Alawar, Place of Supply: Rajasthan- 301019
17	26.07.2025	2025-26	2023-24	TSP/0212/2023-24	Inspection of factory M/s. Nishtha Switch Gear, Vapi (Gujarat) as required for the first time manufacturing of Flamerproof equipment for use in hazardous area.	M/s. Nishtha Switch Gear, 1205/E, III Phase, G.I.D.S, Vapi,Gujarat- 396195
18	26.07.2025	2025-26	2024-25	TSP/0285/2024-25	Inspection of factory of M/s. Ansys Engineering Pvt. Ltd. Thane as required for the first time manufacturing of Flameproof equipment for use in Hazardous area.	M/s. Ansys Engineering Private Limited "Plot No. A-31/1, Behind Bunty Foods, Additional Ambernath MIDC, Thane, Maharashtra - 421506"
19	26.07.2025	2025-26	2025-26	TSP/0333/2025-26	Temperature rise classification and Hydraulic of Flameproof motors in Rated at 950KW, Frame size : E560LX + SLV (S) of M/s. CG Power and Industrial Solutions Limited, Mandideep, Madhya Pradesh for use in hazardous area.	CG Power and Industrial Solutions Limited "Plot No. 9, MPAKVN, Phase 2, New Industrial Area, Mandideep Madhya Pradesh - 462046"
20	10.07.2025	2025-26	2025-26	TSP/0352/2025-26	Assessment of Source-rock geochemical properties of shale samples	The Indian Institute of Technology Mumbai "Prof. Vikram Vishal Department of Earth Sciences, IIT Bombay, Powal Mumbai Maharashtra - 400076"
21	26.07.2025	2025-26	2025-26	TSP/0358/2025-26	Assessment of the electrical safety parameters of 22KW CNG Booster Compressor, Model: M22 of M/s TGT Fuel Technologies Pvt. Ltd., Sonipat, Haryana for use in hazardous area.	TGT Fuel Technologies Private Limited "517, HSIDC, Industrial Area, Phase IV, Kundli, Sonipat Haryana - 131028"

22	10.07.2025	2025-26	2025-26	TSP/0361/2025-26	Assessment of the electrical safety parameters of Non-Sparking Ex 'ec' Induction motor rated at 230KW/6600V/2P Frame Size: DCE315F800 and 750KW/6600V/4P Frame Size: DCE400U1000 of M/s. Marathon Electric Motors India Limited, Kolkata for use in hazardous area.	Marathon Electric Motors India Limited 1, Taratala Road Kolkata West Bengal - 700024
23	10.07.2025	2025-26	2025-26	TSP/0366/2025-26	Study of the evaluation of incendiarity properties and different safety parameters of permitted electronic detonator (Indira Electronic Detonators) for use in underground coal mines of India.	Regenesi Industries Private Limited "S.Y. No. 50, Bommalaramaram Main Road, Yadadri Telangana - 508126"
24	06.08.2025	2025-26	2024-25	TSP/0324/2024-25	Assessment of Temperature Rise Classification of FLP Transwitch Unit/Load Centre upto 2500kVA, upto 6.6KV/1140-415V, FLP VCB Panel upto 7.2KV, upto 630A and FLP Plug and Socket 600A, 1140V of M/s Prabhu Industrial Udyog Pvt. Ltd. Kolkata for use in ha	Prabhu Industrial Udyog Private Limited 1, Tarpan Ghat Road Kolkata West Bengal - 700053
25	26.07.2025	2025-26	2025-26	TSP/0349/2025-26	Assessment of the Temperature rise and Ingress Protection of Flameproof motors, Frame size: M270 and M300 of M/s Aqua Machineries Pvt. Ltd. Ahmedabad, Gujarat-382445 for use in hazardous area.	Aqua Machineries Private Limited "Survey No. 442/2, 504/1 and 2, Near Hari Darshan Estate, Near Express Highway, Ramol, Ahmedabad, Ahmedabad Gujarat - 382445"
26	06.08.2025	2025-26	2024-25	TSP/0267/2024-25	Inspection of factory of M/s GSG Lighting Private Limited, Uttar Pradesh as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	GSG Lighting Private Limited "Second Floor, D-351, Sector 10 Noida, Noida Goutambuddha Nagar, Uttar Pradesh - 201301"

27	06.08.2025	2025-26	2025-26	TSP/0341/2025-26	Assessment of the Temperature rise classification motor rated at 1600KW/ 6.6KV/ 2Pole in Frame size: 1MJ806-2 of M/s BHEL, Bhopal for use in Gas Group IIA/IIB, EPL Gb and Db for use in hazardous area.	Bharat Heavy Electricals Ltd."AGM, AME Division, Block-II EW, II Floor, BHEL Piplani Bhopal Madhya Pradesh - 462022"
28	06.08.2025	2025-26	2025-26	TSP/0334/2025-26	System Certification of Electronic Universal Controller of M/s. Brilliant Engineers, Jind (Haryana) for use in hazardous area.	Brilliant Engineers 4KM - Jind-Panipat Road, Jind Haryana - 126102
29	06.08.2025	2025-26	2025-26	TSP/0368/2025-26	Assessment of the electrical safety parameters of Flameproof Oil Tank Cleaning Equipment-Draco V1.0 of M/s Genrobotic Innovations Pvt. Ltd. Thiruvananthapuram, Kerala for use in hazardous area.	Genrobotic Innovations PH1495:H1541rivate Limited "Plot No. 23, KINFRA Apparel Park, Thumba P.O. Thiruvananthapuram, Kerala - 695586"
30	06.08.2025	2025-26	2021-22	TSP/0129/2021-22	Inspection of factory as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	M/s Emerson Process Management (India) Pvt. Ltd., "Plot No. A-145/4, T.T.C Industrial Area, M.I.D.C. Pawane Navi Mumbai-400705, Maharashtra State India"
31	06.08.2025	2025-26	2022-23	TSP/0186/2022-23	Inspection of factory as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	M/s. Jai Tulsi Switch Gear Pvt. Ltd., IDA, F5/B, Phase 1, Jeedimetla, Hyderabad, Ranga Reddy Pin- 500 055
32	06.08.2025	2025-26	2022-23	TSP/0184/2022-23	Inspection of factory as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	M/s. Phi Audiocom Systems Pvt. Ltd., Audiocon House C- 10, 11 (13A), BG Block, MIDC, Bhosari, Pune- 411026, Maharashtra, India
33	08.10.2025	2025-26	2021-22	TSP/0119/2021-22	Inspection of factory as required for the first time manufacturing of flameproof equipment for use in hazardous area.	"M/s Jay Khodiyar Industries Plot No.5009/1, Paras Industries, GIDC, Estate, Ankleshwar-292002 Dist. Bharuch (Gujarat)"

34	08.10.2025	2025-26	2021-22	TSP/0110/2021-22	Inspection of factory as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	Mr. K. Narayana, Dy. GM "M/s. Kirloskar Electric Company Ltd. P.B. No. - 5555, Malleswaram West, Bangalore - 560 055 (India)"
35	08.10.2025	2025-26	2025-26	TSP/0371/2025-26	Assessment and advice on the present condition of haulage rope of Shri Naina Deviji Monocable Ropeway at Shri. Naina Deviji, H.P.	Ganpati Ropeways Pvt. Ltd., P.O. Shri Naina Devi Ji, Bilaspur, Himachal Pradesh-174310
36	08.10.2025	2025-26	2025-26	TSP/0379/2025-26	Assessment and advice on the present condition of haulage rope of Malampuzha Passenger Ropeway, Palakkad, Kerala	"M/s Usha Breco Limited Parsvanath Mejestic Arcade, 3rd Floor, 18-A, Vaibhav Khand, Indirapuram, Ghaziabad, Uttar Pradesh-201014"
37	08.10.2025	2025-26	2022-23	TSP/0172/2022-23	Inspection of factory as required for the first time manufacturing of Flameproof equipment for use in hazardous area	M/s. Aarenza Die Cast Pvt. Ltd., Survey No. 139/2, "Shakti Farm" Indore Highway Bhavda Gam Road, At. Bhavda, Ta. Daskroi- 382423, Ahmedabad
38	08.10.2025	2025-26	2025-26	TSP/0350/2025-26	Assessment of the electrical safety parameters of Pressurized Purge Panel, Type X of M/s. Pyrotech Electronics Private Limited. Unit-2, Udaipur, Rajasthan for use in hazardous area.	Pyrotech Electronics Private Limited "Unit-2 E-329, Road No. 12, M.I.A., Udaipur, Madri Rajasthan - 313003"
39	08.10.2025	2025-26	2025-26	TSP/0378/2025-26	Assessment and advice on the present condition of haulage rope of Maa Taratarini Passenger Ropeway, Ganjam, Odisha	"M/s Usha Breco Limited Parsvanath Mejestic Arcade, 3rd Floor, 18-A, Vaibhav Khand, Indirapuram, Ghaziabad, Uttar Pradesh-201014"
40	08.10.2025	2025-26	2021-22	TSP/017/2021-22	Inspection of factory as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	Mr. K. Narayana, Dy. GM "M/s. Kirloskar Electric Company Ltd. P.B. No. - 5555, Malleswaram West, Bangalore - 560 055 (India)"
41	08.10.2025	2025-26	2025-26	TSP/0376/2025-26	Compliance Audit as per CPCB Norms at Usha Martin Limited Captive Power Plan.	Usha Martin Limited 20MW Captive Power Plant Ranchi, Tatisilwai Ranchi.

42	26.11.2025	2025-26	2025-26	TSP/0377/2025-26	Assessment of the electrical safety parameters of Increased safety Ex 'eb' and Ex 'ec' Motor, Rated at 1200K/w, 6.6KV, 6Pole in Frame size: 1MA7716-6 for use in EPL Gc (Zone 2) for Gas Group IIC hazardous area of M/s. Bharat Heavy Electrical Limited, Bhopal.	Bharat Heavy Electrical Limited, Block-II, EW, II Floor, BHEL, Bhopal-462022, Madhya Pradesh
43	26.11.2025	2025-26	2025-26	TSP/0340/2025-26	Assessment of the electrical safety parameters of Increased safety Ex 'eb' and Ex 'ec' Motor, Rated at 1200K/w, 6.6KV, 6Pole in Frame size: 1MA7716-6 for use in EPL Gc (Zone 2) for Gas Group IIC hazardous area of M/s. Bharat Heavy Electrical Limited, Bhopal.	M/s. Bharat Heavy Electrical Limited, Block-II, EW, II Floor, BHEL, Bhopal-462022
44	26.11.2025	2025-26	2025-26	TSP/0387/2025-26	Evaluation of incendivity properties and others safety parameters of permitted electronic detonator " Neo-Electra I" for use in underground coal mines of India.	SBL Energy Limited 85, Hill Road, Rama Niwas, Flat No. 204, Ramnagar, Nagpur-440010, Maharashtra.
45	12.12.2025	2025-26	2025-25	TSP/0391/2025-26	Assessment and advice on the present condition of haulage rope of Maa Mansa Devi Passenger Ropeway, Haridwar, Uttarakhand.	M/s Usha Breco Ltd. "Maa Mansa Devi Udan Khatola, Upper Road Haridwar Uttarakhand - 249401"
46	12.12.2025	2025-26	2025-25	TSP/0392/2025-26	Assessment and advice on the present condition of haulage rope of cable car and Ropes of Sky Diver Ride at Nicco Parks and Resorts Limited at Salt Lake, Kolkata, West Bengal.	Nicco Parks and Resort Ltd. "Jheel Meel, Sec-IV, Salt Lake City, Kolkata, West Bengal - 700106"
47	12.12.2025	2025-26	2025-25	TSP/0393/2025-26	Assessment and advice on the present condition of haulage ropes and track ropes of passenger ropeway from Bhawan to Bhairon Ghati, Katra, Jammu and Kashmir.	Damodar Ropeways and Infra Ltd. "Peerkho Temple, Mini TRC Building Jammu Jammu and Kashmir - 180001"

48	12.12.2025	2025-26	2025-25	TSP/0394/2025-26	Assessment and advice on the present condition of haulage rope of ropeway at Tsomgo (Changu) Lake, Gangtok, Sikkim.	M/s Conveyor and Ropeway Services Pvt. Ltd "75-C Park Street, 6th Floor Kolkata West Bengal - 700016"
49	12.12.2025	2025-26	2024-25	TSP/0300/2024-25	Inspection of factory of M/s. I-Vision Bangalore as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	Kannan Subramanian Prasanna "M/s. I-Vision Site No. 8, Inside C.S.R. Golden Gate, Near K.R. Puram R.T.O., Medahalli extn, Virgo Nagar Post Bangalore Karnataka - 560049"
50	12.12.2025	2025-26	2025-26	TSP/0390/2025-26	Assessment of the electrical safety parameters of Pressurized (Ex 'p') Motor Rated at 8200KW in Frame Size 1SQ 190X-Y for use in EPL Gb (Zone 1 and 2) for Gas Group IIC hazardous areas of M/s. Bharat Heavy Electrical Limited, Bhopal.	Bharat Heavy Electricals Ltd. "Block-II, EW, II Floor, BHEL Bhopal Madhya Pradesh - 462022"
51	12.12.2025	2025-26	2025-26	TSP/0389/2025-26	Assessment of the electrical safety parameters of Pressurized (Ex 'p') Motor Rated at 1850KW, in Frame Size 1DN513X-Y for use in EPL Gb (Zone 1 and 2) for Gas Group IIC hazardous areas of M/s. Bharat Heavy Electrica	Bharat Heavy Electricals Ltd. "Block-II, EW, II Floor, BHEL Bhopal Madhya Pradesh - 462022"
52	15.01.2026	2025-26	2025-26	TSP/0395/2025-26	Assessment and Advice on the present condition of haulage rope of Pushkar Ropeway site, Pushkar, Rajasthan.	M/s Damodar Ropeways and Infra Ltd., Parikarma Marg, Pushkar, Ajmer, Rajasthan- 305022
53	15.01.2026	2025-26	2025-26	TSP/0374/2025-26	Assessment of the electrical safety parameters of CNG Dispensers of M/s. TGT Fuel Technologies Pvt. Ltd., Sonipat, Haryana for use in hazardous area.	M/s. TGT Fuel Technologies Pvt. Ltd., 517, HSIDC, Industrial Area, Phase IV, Kundil, Sonipat, Haryana- 131028
54	15.01.2026	2025-26	2022-23	TSP/0153/2022-23	Inspection of factory as required of the first time manufacturing of Flameproof equipment for use in haardous.	M/s.Neem Switch Gear, Plot No. C1B/2425, Phase- 3, GDIC, Vapi- 396195, Gujarat, India

55	16.01.2026	2025-26	2025-26	TSP/0400/2025-26	Assessment of the electrical safety parameters of Hydrogen Dispenser of M/s. GRAF Gastech Private Limited, Uttar Pradesh- 201306 for use in hazardous area.	GRAF Gastech Private Limited, 66 , Udyog Vihar, Old Kasna Road, Greater Noida, Noida, Gautambuddha Nagar, Uttar Pradesh- 201306
56	15.01.2026	2025-26	2025-26	TSP/0403/2025-26	Assessment of the electrical safety parameters of Auto LPG Dispenser of M/s. HT Systems (P) Ltd., Faridabd- 121004, Haryana as per IS/IEC/TS 60079-46 for use in hazardous area.	HT Systems Private Limited, Plot 5 J and 5 K, Sector 4, Faridabad- 121004, Haryana
57	15.01.2026	2025-26	2025-26	TSP/0399/2025-26	Assessment of the electrical safety parameters of Hydrogen Compressors of M/s GRAF Gastech Private Limited, Uttar Pradesh 201306 for use in hazardous area.	GRAF Gastech Private Limited, 66, Udyog Vihar, Old Kasna Road, Greater Noida, Noida, Gautambuddha Nagar, Uttar Pradesh.
58	15.01.2026	2025-26	2025-26	TSP/0402/2025-26	Assessment of the electrical safety parameters of PLC Based Valve Change Machine of M/s R. S. Automation Controls, Faridabad-121004 for use in hazardous area.	R. S. Automation Controls Ramjan Siddiqui, MCF 297, End of Bohra Road, Bhagat Singh colony, Ballabgarh, Faridabad, Haryana- 121004
59	18.02.2026	2025-26	2025-26	TSP/0327/2025-26	Maceral composition, Thermal maturity assessment and V-step distribution analysis of coal samples.	Dipansa Mining Private Limited "Prof. Samir Kumar Pal Salua, Balia, Srikrishna Colony, Kharagpur, Paschim Medinipur West Bengal - 721145"
60	18.02.2026	2025-26	2025-26	TSP/0404/2025-26	Assessment and advice on the present condition of track and haulage ropes of passenger Ropeway across river Brahmaputra at Guwahati, Assam.	M/s Usha Breco Limited, "Guwahati Ropeway Terminal, Forest Campus, Near DC Court, M.G. Road, Panbazar Guwahati Assam - 781001"
61	18.02.2026	2025-26	2025-26	TSP/0362/2025-26	Assessment and advice on the present condition of track and haulage ropes of passenger Ropeway across river Brahmaputra at Guwahati, Assam.	M/s Asia Resort Ltd., "TIMBER TRAIL RESORT, PARWANOO, Solan, Himachal Pradesh - 173220"

62	25.02.2026	2025-26	2025-26	TSP/ 0427/ 2025-26	Assessment and advice on the present condition of haulage rope of Maa Chandidevi Passenger Ropeway, Haridwar, Uttarakhand.	M/s Usha Breco Limited, "Maa Chandidevi Udan Khatola, Nazibabad Road Haridwar Uttarakhand - 249408"
63	25.02.2026	2025-26	2025-26	TSP/ 0414/ 2025-26	Assessment of temperature rise classification of Flameproof motors in rated at 500KW, Frame Size: KF450 of M/s Marathon Electric Motors India Limited, Kolkata for use in hazardous area.	Marathon Electric Motors India Limited, 1, Taratala Road Kolkata West Bengal - 700024
64	19.03.2026	2025-26	2025-26	TSP/0416/2025-26	Inspection of factory of M/s Bharat Agni Rodhak Private Limited, Vadodara-390021, Gujarat as required for manufacturing of Flameproof equipment for use in hazardous area.	Bharat Agni Rodhak Private Limited "Gangotri Apartment, Gotri Road, TB Sanatorium Sub Post Office, Gotri, Vadodara Gujarat - 390021"
65	19.03.2026	2025-26	2025-26	TSP/0419/2025-26	Non-destructive Assessment and advice on the present condition of haulage rope, track rope and critical component at Mata Baglmukhi Passenger Ropeway, Pandoh, Mandi	M/s Ropeways and Rapid Transport System Development Corporation H.P. Limited US Club, Shimla Himachal Pradesh - 171001
66	19.03.2026	2025-26	2025-26	TSP/0426/2025-26	Assessment and advice on the present condition of haulage rope of Mandar Hill Passenger ropeway, Banka, Bihar.	M/s Conveyor & Ropeway Services Pvt. Ltd. "75-C Park Street, 6th Floor Kolkata West Bengal - 700016"
67	19.03.2026	2025-26	2025-26	TSP/0428/2025-26	Assessment and advice on the present condition of track and haulage ropes of Nainital Ropeway at Nainital, Uttarakhand.	M/s Kumaon Mandal Vikas Nigam Ltd. "Nainital Ropeway,Oak Park House, Mallital, Nainital Uttarakhand - 263001"
68	19.03.2026	2025-26	2024-25	TSP/0273/2024-25	Inspection of factory of M/s. Altop Industries Ltd. Vadodara, Gujarat as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	"M/s Altop Industries Ltd. 392, GIDC, Makarpura, Vadodara Gujarat - 390010"

69	19.03.2026	2025-26	2025-26	TSP/0411/2025-26	Inspection of factory of M/s Iris Automation Private Limited, Gandhinagar, Gujarat-382721 as required for manufacturing of Flameproof equipment for use in hazardous area.	Iris Automation Private Limited "Plot No. 164, Behind Bharat Aluminium Near Gopinath Enterprise, Kalol, Gandhinagar Gujarat - 382721"
70	19.03.2026	2025-26	2023-24	TSP/0215/2023-24	Inspection of factory of M/s. Hirpara Metal Products, Jamnagar as required for the first time manufacturing of flameproof equipment for use in hazardous area	"M/s. Hirpara Metal Products, Plot No. 1A, Survey no. 85/1, GDIC Phase-III, Next to Plot No. 3031/2, Dared, Jamnagar- 361004"
71	19.03.2026	2025-26	2025-26	TSP/0413/2025-26	Inspection of factory of M/s Green Valley Industries, Valsad, Gujarat as required for manufacturing of Flameproof equipment for use in hazardous area.	M/s Green Valley Industries "Waheedahmed Siddiqui, Plot No. 2819, GIDC, Umbergaon, 3rd Phase, Valsad Gujarat - 396171"
72	19.03.2026	2025-26	2024-25	TSP/0307/ 2024-25	Inspection of factory of M/s Chandra Corporation, Ahmedabad, Gujarat as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	M/s Chandra Corporation "Niranjan Ramshankar Raval, 20/ Prena Park Society B/H Vijay Park Society, Jasodanagar Chokadi, Ahmedabad, Gujarat - 380008"
73	19.03.2026	2025-26	2025-26	TSP/0409/2025-26	Inspection of factory of M/s Harihar Pattern Industry, Ahmedabad, Gujarat - 382445 as required for manufacturing of Flameproof equipment for use in hazardous area.	M/s Harihar Pattern Industry "Thakor Ranchhodbhai Panchal 1321, G.I.D.C, Vatva, Ahmedabad Gujarat - 382445"
74	19.03.2026	2025-26	2025-26	TSP/0380/2025-26	Compliance audit for ash disposal at Tuticorin Thermal Power Project, Stage IV - 01 X 525 MW, Tuticorin, Tamil Nadu	SEPC Power Private Limited "Chief Operating Officer, SEPC Power Pvt. Ltd., IX525 MW, Stage IV, Check Post - 1, VOC road, Thoothkukudi Tamil Nadu - 628004"

75	18.04.2026	2026-27	2025-26	TSP/0405/2025-26	Assessment of Physico-mechanical properties of three borehole rock core samples of BH # ADG-07 (P-40), ADG-08 (P-34) and ADG-10 (P-12) from Dahegaon - Gowari Mines, Chandrapur, Maharashtra - 442908	Ambuja Cements Limited, "At Post-Upparwahi, Tah-Korpana, Dist. Chandrapur, Godchandur, Chandrapur Maharashtra - 442908"
76	18.04.2026	2026-27	2025-26	TSP/0407/2025-26	Assessment of Physico-mechanical properties of three borehole rock core samples of BH # MTLT-07, MTLT-08 and MTLT-09 from Lamatola Coal Block, Sohagpur Coalfield, Annupur, Madhya Pradesh.	Mining Tech CNSTNY SRVL "First Floor, Admin Building Gram Bandhaura, Post Karsua Lal Singrauli, Singrauli Madhya Pradesh - 486886"
77	18.04.2026	2026-27	2025-26	TSP/0359/2025-26	Inspection of factory of M/s Gassol Solutions Pvt. Ltd., Moodbidri, Karnataka State as required for the first time manufacturing of Flameproof equipment for use in hazardous area.	Gassol Solutions Private Limited "6-32D, Betkeri Road, Karnataka State, India Moodbidri Karnataka - 574227"
78	18.04.2026	2026-27	2025-26	TSP/0417/2025-26	Assessment of the electrical safety parameters of FLP Multi-Function Machine used in LPG Bottling Plants of M/s Flameproof Equipments Pvt. Ltd., Mumbai-400053 for use in hazardous area.	Flameproof Equipments Pvt. Ltd. "Flameproof House, Plot No. B-39, Near Monginis Cake Factory, New Link Road, Andheri (W), Mumbai Maharashtra - 400053"
79	18.04.2026	2026-27	2025-26	TSP/0431/2025-26	Assessment and advice on the present condition of haulage rope of Neemach Mata Passenger Ropeway, Udaipur, Rajasthan.	M/s Damodar Ropeways & Infra Ltd. 11, Dr. U. N. Brahmachari Steet, Constantia Building, 8th Floor, Wing-A, Kolkata-700017
80	18.04.2026	2026-27	2025-26	TSP/0432/2025-26	Assesment and advice on the present conditon of haulage rope of DRV passenger ropeway at Darjeeling, West Bengal.	M/s Conveyor & Ropeway Service Pvt. Ltd. 75C, Park Street, 6th Floor, Kolkata-700016
81	18.04.2026	2026-27	2025-26	TSP/0433/2025-26	Assessment and advice on the present condition of double drum winder ropes at Mahagiri Mines (Chromite), Jajpur, Odisha	Mahagiri Mines (Chromite) M/s Indian Metal and Ferro Alloy Ltd. Post-Kaliapani, Dist.-Jajpur, Odisha-755028

82	18.04.2026	2026-27	2025-26	TSP/0434/2025-26	Assessment and advice on the present condition of haulage rope of detachable grip mono-cable passenger ropeway at Maihar, M.P.	M/s. Damodar Ropeways & Infra Ltd. 11, Dr. U.N. Brahmachari Street, Constantia Building, 8th Floor, Wing-A, Kolkata-700017
83	18.04.2026	2026-27	2025-26	TSP/0435/2025-26	Assessment and advice on the present condition of haulage rope of Maa Chamunda Devi Passenger Ropeway, Dewas, M.P.	M/s Trehan Damodar Ropeways Ltd. 06, Station Road, Dewas-455001, M.P.
84	18.04.2026	2026-27	2025-26	TSP/0436/2025-26	Assessment and advice on the present condition of haulage rope of Hanumandhara Ropeway at Chitrakoot, M.P.	M/s. Damodar Ropeways & Infra Ltd., 11, Dr. U. N. Brahmachari Street, Constantia Building, 8th Floor, Wing-A, Kolkata.
85	15.05.2026	2026-27	2025-26	TSP/0388/2025-26	Investigation on the safety and performance parameters of A.P. permitted Exploder (Model name:eBlaster-UG1) for blasting of permitted electronic detonator of M/s A.P. Explosives Pvt. Ltd., for use in underground coal mines of India.	A P Explosives Private Limited SY. No:50, Bommalaramaram (V & M), Yadadri Bhongir Telangana - 508126
86	15.05.2026	2026-27	2025-26	TSP/0410/2025-26	Assessment of the electrical safety parameters of Automatic PLC Controlled Valve Changing Machine without Evacuation with Robotic Arm of M/s Brilliant Engineers, Jind-126102-Haryana for use in hazardous area.	Brilliant Engineers, 4KM Safidon Road Nirjen Jind Haryana - 126102
87	15.05.2026	2026-27	2025-26	TSP/0439/2025-26	Assessment of the Hydraulic Booster Compressor Driven by 37KW Motor, Model: SOP37. DA.650 of M/s Sopan O & M Pvt. Ltd., Kheda, Gujarat for use in hazardous area.	M/s Sopan O & M Company Pvt. Ltd., Survey No.-17, Samadra Road, Near HPCL Petrol Pump, Village-Kazipura, Kheda, Gujarat.
88	15.05.2026	2026-27	2026-27	TSP/0445/2026-27	Assessment and advice on the present condition of haulage rope at Solang Nallah, Manali, H.P.	M/s Ski Himalayas Ropeway Pvt. Ltd. Solang Ropeway cum Ski Center, Solang Valley, P.O. Palchan, Manali, H.P. India.

89	17.06.2026	2026-27	2025-26	TSP/0373/2025-26	Performance evaluation of dust suppression chemical i.e, KV LITE SPRINK-O- FIX (Dust Ionizer) by studying its different physicochemical properties for dust suppression and control in mines.	KV Fire Chemicals (India) Pvt. Ltd., Survey No. 1159, Kamala Nagar, A/p Mundhegaon, Tal. Lagatpuri, Nashik, Maharashtra- 422403
90	17.06.2026	2026-27	2025-26	TSP/0375/2025-26	Assessment of the electrical safety parameters of CNG Dispenser of M/s. Compac Industrial India Ltd., New Delhi for use in hazardous area.	Compac Industries India Ltd., K73,Udyog Nagar, India New Delhi- 110041
91	17.06.2026	2026-27	2025-26	TSP/0401/2025-26	Assessment of the electrical safety parameters of CNG Dispenser of M/s GRAF Gastech Pvt. Ltd., Uttar Pradesh- 201306 for use in hazardous area.	GRAF Gastech Pvt. Ltd., 66, Udyog Vihar, Old kasna Road, Greater Noida, Noida, Gautambuddha Nagar, Uttar Pradesh- 201306
92	17.06.2026	2026-27	2025-26	TSP/0441/2025-26	Assessment of the electrical safety parameters of Coriolis Mass Flow Meter (Model: VSAN-MFT Series) of M/s. VSAN Electricals and Sensors, Vanagaram, Chennai- 600095 for use in hazardous area.	M/s. Vsan Electricals and Sensors, No. 10, Raja Rajan Nagar Extension, Krishna industrial Estate, Vanagaram,Chennai, Tamil Nadu - 600095
93	17.06.2026	2026-27	2025-26	TSP/0442/2025-26	Assessment of the electrical safety parameters of 37KW CNG Booster Compressor, Model - M37 of M/s. TGT Fuel Technologies Pvt. Ltd., Sonipat, Haryanafor use in hazardous area.	TGT Fuel Technologies Private Limited, "517, HSIDC, Industrial Area, Phase IV, Kundli, Sonipat Haryana - 131028"
94	23.07.2026	2026-27	2026-27	TSP/0461/2026-27	Assessment and adcie on the present condition of haulage rope of detachable grip mono-cable passenger ropeway at Dongargarh, C.G.	M/s Shri Bamleshwari Mandir Trust Samity, New Ropeway, Chhirpani, Dongargarh, Dist.-Chhattisgarh-491445
95	23.07.2026	2026-27	2026-27	TSP/0462/2026-27	Assessment and advice on the present condition of haulage rope of fixed grip mono-cable ropeway at Nandankanan park, Bhubneshwar, Odisha	M/s. Damodar Ropeways & Infra Ltd., 11, Dr. U. N. Brahmachari Street, Constantia Building, 8th Floor, Wing-A, Kolkata.

96	23.07.2026	2026-27	2026-27	TSP/0464/2026-7	Assessment and advice on the present condition of haulage rope of fixed grip monocable passenger cable car at Dreamland Amusement Park, Siliguri, West Bengal.	M/s Lucky Exports India Pvt. Ltd., 327, Bidhan Road, Near Auto Stand, Siliguri, Pin-734001, W.B.
97	23.07.2026	2026-27	2024-25	TSP/0266/2024-25	Assessment of Slake Durability Index for scientific study of rock core samples of Kumardih-B Colliery, ECL, Paschim Burdwan, West Bengal	Gainwell Commosales Private Limited, "Near 1 and 2 Incline (CM Project), P.O. Ukhra, Kumardihi, Paschim Burdwan, West Bengal - 713363"
98	23.07.2026	2026-27	2025-26	TSP/0357/2025-26	Inspection of factory of M/s Acromax Industries Private Limited, Noida (U.P.) as required for manufacturing of Flameproof equipment for use in hazardous area.	Acromax Industries Private Limited "F-407, Sector-63, (U.P) Noida Uttar Pradesh - 201307"
99	23.07.2026	2026-27	2026-27	TSP/0454/2026-27	Assessment of the electrical safety parameters of pressurized (Ex 'p') Motor Rated at 2250KW, 6.6KV, 4Pole in Frame size 1SB7712-4 for use in EPL Gb (Zone 1 & 2) for Gas Group IIC hazardous areas of M/s. Bharat Heavy Electrical Limited, Bhopal.	M/s Bharat Heavy Electrical Limited Block-II, EW, II Floor, BHEL, Bhopal-462022